



# UNITED SEEDS INC



## Description

**Lawn Care Mixture** adapts well to a wide variety of turf applications. The bluegrass varieties display excellent sun and shade tolerance as well as good color, density, and disease resistance. Perennial ryegrasses have excellent color, good rate of establishment and high Endophyte (E) *natural insect resistance*.

## Contains:

60% Blue Coat, Corsair and Dauntless Kentucky Bluegrass. 40% Infusion and Premium Perennial Ryegrass (varieties subject to change)

## Applications for Use:

Home Lawns, Parks, Commons Areas, Commercial Sites

## Seeding Rate:

New Seeding (bare ground): 6LBS per 1,000 SQ FT  
Over-Seeding (into existing): 3 LBS per 1,000 SQ FT  
Over-Seeding (heavy use): 8 LBS per 1,000 SQ FT

## Seeding Dates:

March-May  
August- October  
December-February (dormant seeding)

## Days to Germinate:

Perennial Ryegrass– 4-7 Days  
Bluegrass– 10-21 Days

## Characteristics

**Color:** Very Good  
**Density:** Very Good  
**Shade Tolerance:** Fair to Good  
**Drought Tolerance:** Good  
**Wear Tolerance:** Very Good  
**Mowing Height:** Down to 3/4" Cut  
**Leaf Texture:** Fine  
**Rate of Establishment:** Very Good

## CERTIFIED SEED

### Lawn Care Mixture

60/40 Bluegrass/Ryegrass Mix

Lot #\_LCM-19

Variety & Kind	Purity	Germ.	Origin	Lot Number
Dauntless Kentucky Bluegrass	20.00%	90%	WA	TBD
Corsair Kentucky Bluegrass	20.00%	90%	WA	TBD
Blue Coat Kentucky Bluegrass	20.00%	90%	WA	TBD
Premium Perennial Ryegrass	20.00%	90%	MN	TBD
Infusion Perennial Ryegrass	20.00%	90%	MN	TBD

Total Pure: 100.00% Crop: 0.00% Inert: 10.00% Weeds: 0.00% AMS: 127

Net Weight: 50.0 Lbs 22.65 Kgs SEL BY: 12-31-2019 Excess Noxious Weeds: None

OMAHA - 800-456-9901 www.unitedseeds.com  
Des Moines - 800-365-6674



Quality certified by NEBRASKA CROP IMPROVEMENT ASSOCIATION  
MEMBER OF ASSOCIATION OF OFFICIAL SEED CERTIFYING AGENCIES

\* The Certifying Agency makes no warranty of any kind, expressly or implied, including merchantability or fitness for purpose, or otherwise, which extends beyond the certification that the seeds inspected met the regulations of this agency. The Seller guarantees this seed to conform to the analysis shown. No further warranty is expressed or implied. Sellers liability is limited to the purchase price of the seed.



OMAHA HEADQUARTERS\_ 7500 BURLINGTON \_ OMAHA, NE 68127  
NE TOLL FREE (800)456-9901 \_ NE LOCAL (402)-331-4800 \_ NE FAX (402)-331-1251  
DES MOINES WAREHOUSE \_ 1800 DIXON AVE \_ DES MOINES, IA 50316  
IA TOLL FREE (800)-365-6674 \_ IA LOCAL (515)-282-1750 \_ IA FAX (515)-266-5587  
[www.unitedseeds.com](http://www.unitedseeds.com) [www.unitedseedsonline.com](http://www.unitedseedsonline.com)

# General Seeding Guidelines



## I. SEEDING DATES

April 15 to June 15

August 10 to October 15

November 15 to February 15

## II. SITE PREPARATION FOR BAREGROUND SEEDING

- i. Conduct a soil test, per acre, to determine any needed soil amendments
- ii. Check soil PH. Ideal PH is between 6.0 and 7.0
- iii. Eliminate existing vegetation
- iv. Spray with a non-selective herbicide
- v. Remove any dead vegetation
- vi. Add soil amendments. Adjust PH.
- vii. Till soil to a 4-6 inch depth
- viii. Remove any large debris
- ix. Pulverize and lightly roll soil
- x. Apply 1 lb of Phosphorous (P) ( $2.27 \text{ lbs P}_2\text{O}_5$ ) / 1000 ft<sup>2</sup> to soil surface

## III. SITE PREPARATION FOR INTERSEEDING/OVERSEEDING

- i. Conduct one soil test, per acre, to determine any need soil amendments
- ii. Check soil PH. Ideal PH is between 6.0 and 7.0
- iii. Remove any debris that may inhibit seeding
- iv. Mow area to be seeded if existing vegetation is higher than 3-4 inches

## IV. SEEDING METHODS

Seeding Method is base on the slope and soil at site. Use broadcast, drop, slit or drill seeding methods where erosion is not a concern.

- i. Seed should be planted .125 to .25 inches below soil surface
- ii. Plant two directions putting 1/2 of seed down each direction
- iii. Gently roll or rake seeded area to ensure good soil to seed contact
- iii. If inter-seeding into existing vegetation use a slicer/inter-seeder that cuts into existing vegetation and places the seed into the soil at an optimum depth of 1/4 to 1/2 inch and achieves good soil to seed contact
- iv. If broadcast seeding into existing vegetation drag a harrow or chain link fence over seeded area to ensure seed to soil contact.

Hydro seed steep slopes or areas where erosion is a concern..

- i. Broadcast 1/2 of the seed before hydro-seed mixture is applied
- ii. Place the other 1/2 in the hydro seed mixture

## V. WATERING REQUIREMENTS

- i. Water to field capacity immediately after seeding
- ii. The first three weeks after seeding keep top 1.t inches of soil moist
- iii. Weeks four through six after seeding water 3-4 times per week
- iv. After six weeks water when grass begins to show drought stress

## VI. FERTILIZATION AND MOWING

- i. Fertilize seeded area once for the first two months with .5 lbs of N / 1000ft<sup>2</sup> after seeding
- ii. Mow when the grass is one inch longer than desired height. Do not remove more than 1/3 of grass blade.