

Scientific Name	Common Name	Type	Height (in)	Flower Color	Bloom Period	Cultural Requirements	% of Mixture	Seeds/Lb
<i>Achillea lanulosa</i>	Western Yarrow	P	12 - 36	White	Summer	Sun-Dry	1	3,240,000
<i>Achillea millefolium</i>	White Yarrow	P	12 - 36	White	Summer	Sun-Dry/Moist	1	2,790,000
<i>Agastache foeniculum</i>	Anise Hyssop	P	24-36	Purple	Summer			
<i>Allium canadense</i>	Wild Garlic							
<i>Allium cernuum</i>	Nodding Pink Onion	P	12 - 18	Pink	Summer	P Sun-Dry/Moist	19	138,000
<i>Allium stellatum</i>	Prairie Onion							
<i>Amorpha canescens</i>	Leadplant	P	24 - 40	Purple	Summer	Sun-Dry	5	277,000
<i>Anemomne virginiana</i>	Tall Thimble Weed							
<i>Anemone canadensis</i>	Canada Anemone	P	16-24	White	Spring/Summer	Sun-Moist	1-2%	
<i>Anemone cylindrica</i>	Thimble Weed							
<i>Aquilegia canadensis</i>	Columbine							
<i>Aquilegia vulgaris</i>	Dwarf Columbine	P	10 - 18	Red/Violet/blue	Spring/Summer	P/Shade-Moist	3 - 5	315,000
<i>Artemisia ludoviciana</i>	Prairie Sage							
<i>Asclepias incarnata</i>	Swamp Milkweed	P	36 - 60	Pink	Summer	Sun-Moist	8 - 12	102,000
<i>Asclepias purpurascens</i>	Purple Milkweed							
<i>Asclepias speciosa</i>	Showy Milkweed	P	24 - 40	Pink	Summer	Sun-Dry/Moist	7 - 10	87,000
<i>Asclepias sullivantii</i>	Prairie Milkweed							
<i>Asclepias syriaca</i>	Common Milkweed	P	36-48	White	Summer	Sun-Moist-Dry	1-10%	70,000
<i>Asclepias tuberosa</i>	Butterfly Milkweed	P	24 - 36	Orange	Summer	Sun-Dry	7- 10	87,000
<i>Asclepias verticillata</i>	Whorled Milkweed							
<i>Aster azureus</i>	Sky Blue Aster							
<i>Aster ericoides</i>	Heath Aster							
<i>Aster laevis</i>	Smooth Aster	P	30 - 48	Violet	Fall	Sun-Dry/Moist	2 - 3	1,014,000
<i>Aster lateriflorus</i>	Calico Aster							
<i>Aster novae-angliae</i>	New England Aster	P	24 - 72	Pink/Violet/Purple	Fall	P Sun-Dry/Moist	1 - 2	1,305,000
<i>Aster ptarmicoides</i>	White Upland Aster	P	18 - 24	White	Summer/Fall	Sun-Dry	4	926,000
<i>Aster puniceus</i>	Swamp Aster	P	48-60	Purple	Summer/Fall	Partial Shade/Sun-Moist	1-5%	700,000
<i>Aster sericeus</i>	Silky Aster							
<i>Aster umbellatus</i>	Flat-topped Aster							
<i>Astragalus canadensis</i>	Canadian Milk Vetch							
<i>Baptisia leucantha</i>	White Wild Indigo							
<i>Baptisia leucophaea</i>	Cream Wild Inigo							
<i>Bidens cernua</i>	Nodding Bur Marigold							
<i>Cacalia plantaginea</i>	Indian Plantian							
<i>Cassia fasciculata</i>	Partridge Pea	A	6 - 24	Yellow	Summer/Fall	Sun/Dry	15 - 18	56,700
<i>Castilleja chromosa</i>	Indian Paintbrush	P	8 - 24	Scarlet/Rose/Yellow	Summer/Fall	P/Sun-Dry/Moist	.75 - 1	4,000,000

<i>Ceanothus americanus</i>	<i>New Jersey Tea</i>							
<i>Centaurea cyanus</i>	<i>Cornflower</i>	A	12 - 36	Blue/White	Summer	P/Sun-Dry	10 - 14	89,000
<i>Chamaecrista fasciculata</i>	<i>Partridge Pea</i>							
<i>Chelone glabra</i>	<i>Turtlehead</i>							
<i>Chrysanthemum maximum</i>	<i>Shasta Daisy</i>	P	16 - 24	White	Summer	P/Sun-Moist	4 - 6	436,000
<i>Cleome serrulata</i>	<i>Rocky Mountain Beeplant</i>	A	12 - 48	Pink/Lavender	Summer	Sun-Dry	10 - 16	62,000
<i>Coreopsis lanceolata</i>	<i>Lance-Leaved Coreopsis</i>	P	18 - 36	Yellow	Summer/Fall	P/Sun-Dry/Moist	5 - 8	202,000
<i>Coreopsis palmata</i>	<i>Prairie Coreopsis</i>							
<i>Coreopsis tinctoria</i>	<i>Plains Coreopsis</i>	A	18 - 36	Yellow-Maroon	Summer/Fall	P/Sun Dry	1 - 2	1,666,000
<i>Coreopsis tripteris</i>	<i>Tall Coreopsis</i>							
<i>Crotalaria sagittalis</i>	<i>Little Rattlebox</i>							
<i>Dalea candida</i>	<i>White Prairie Clover</i>	P	18 - 36	White	Summer/Fall	Sun-Dry	5 - 7	259,000
<i>Delphinium virescens</i>	<i>Prairie Larkspur</i>							
<i>Desmanthus illinoensis</i>	<i>Illinois Bundleflower</i>	P	36 - 60	Cream	Summer	Sun-Dry	10 - 15	67,000
<i>Desmodium canadense</i>	<i>Showy Tick Trefoil</i>							
<i>Desmodium illinoense</i>	<i>Illinois Tick Trefoil</i>							
<i>Digitalis purpurea</i>	<i>Foxglove</i>	B/P	24 - 48	Purple/Cream	Summer	P/Shade-Moist	0.5	4,753,000
<i>Dodecatheon meadia</i>	<i>Shooting Star</i>							
<i>Echinacea angustifolia</i>	<i>Narrow-Leaf Purple Coneflower</i>	P	12 - 24	Violet	Summer	Sun-Dry	10 - 13	110,000
<i>Echinacea pallida</i>	<i>Pale Purple Coneflower</i>	P	24 - 48	Lavender-Blue	Summer	P/Sun-Dry	9 - 12	106,000
<i>Echinacea purpurea</i>	<i>Purple Coneflower</i>	P	24 - 36	Purple	Summer	P/Shade-Dry/Moist	7 - 12	117,000
<i>Eryngium yuccifolium</i>	<i>Rattlesnake Master</i>							
<i>Eupatorium altissimum</i>	<i>Tall Boneset</i>							
<i>Eupatorium maculatum</i>	<i>Joe Pye</i>							
<i>Eupatorium perfoliatum</i>	<i>Boneste</i>							
<i>Eupatorium purpureum</i>	<i>Sweet Joe Pye</i>							
<i>Euphorbia corollata</i>	<i>Flowering Spurge</i>							
<i>Filipendula rubra</i>	<i>Queen of the Prairie</i>							
<i>Gaillardia aristata</i>	<i>Perennial Gaillardia</i>	P	18 - 30	Yellow/Red	Summer	Sun-Dry	8 - 10	160,200
<i>Gaillardia pulchella</i>	<i>Annual Gaillardia</i>	A	12 - 24	Yellow/Red	Summer	Sun-Dry	7 - 9	223,300
<i>Gentiana andrewsii</i>	<i>Bottle Gentian</i>							
<i>Gentiana crinita</i>	<i>Fringed Gentian</i>							
<i>Gentiana flavida</i>	<i>Cream Gentian</i>							
<i>Gentiana puberulenta</i>	<i>Downy Gentian</i>							
<i>Geranium maculatum</i>	<i>Wild Geranium</i>	P	12 - 48	Pink/Lavender	Summer	P/Sun-Dry/Moist	6 - 12	52,000
<i>Geum triflorum</i>	<i>Prairie Smoke</i>							
<i>Glycyrrhiza lepidota</i>	<i>Wild Licorice</i>							
<i>Helenium autumnal</i>	<i>Sneezeweed</i>							
<i>Helianthus grosseserratus</i>	<i>Sawtooth Sunflower</i>							



<i>Helianthus laetiflorus</i>	Showy Sunflower							
<i>Helianthus maximiliani</i>	Maximilian Sunflower	P	39 - 96	Yellow	Summer/Fall	Sun-Dry	4 - 8	182,000
<i>Helianthus occidentalis</i>	Western Sunflower							
<i>Heliopsis helianthoides</i>	Early Sunflower							
<i>Heuchera richardsonii</i>	Alumroot							
<i>Hypericum pyramidatum</i>	Great St. John's Wort							
<i>Iris missouriensis</i>	Wild Blue Iris	P	12 - 24	Blue	Summer	Sun-Moist	25 - 30	26,400
<i>Iris virginica shrevei</i>	Blue Flag Iris							
<i>Kuhnia eupatorioides</i>	False Boneset							
<i>Lespedeza capitata</i>	Round-headed Bush Clover							
<i>Liatris aspera</i>	Rough Blazing Star							
<i>Liatris ligulistylis</i>	Meadow Blazing Star							
<i>Liatris punctata</i>	Dotted Blazing Star							
<i>Liatris punctata</i>	Dotted Gayfeather	P	10 - 16	Purple	Summer/Fall	Sun-Dry	8 - 10	194,000
<i>Liatris pycnostachya</i>	Prairie Blazing Star							
<i>Liatris pycnostachya</i>	Thickspike Gayfeather	P	24 - 48	Purple	Summer	Sun-Dry/Moist	10 - 12	131,000
<i>Liatris spicata</i>	Marsh Blazing Star							
<i>Liatris squarrosa</i>	Scaly Blazing Star							
<i>Lillium michiganense</i>	Michigan Lily							
<i>Lillium philadelphicum</i>	Wood Lily							
<i>Linum lewisii</i>	Blue Flax	P	12 - 30	Blue	Spring/Summer	Sun-Dry	6 - 7	200,000
<i>Lobelia cardinalis</i>	Cardinal Flower							
<i>Lobelia siphilitica</i>	Great Blue Lobelia							
<i>Lobelia spicata</i>	Pale Spiked Lobelia							
<i>Lugwigia alternifolia</i>	Seedbox							
<i>Lupinus perennis</i>	Wild Lupine							
<i>Lupinus perennis</i>	Perennial Lupine	P	12 - 36	Blue	Spring/Summer	Sun-Dry/Moist	25 - 35	21,300
<i>Mimulus ringens</i>	Monkey Flower							
<i>Monarda fistulosa</i>	Wild Bergamot	P	36 - 48	Purple	Summer	P/Sun-Dry/Moist	1	1,463,000
<i>Monarda punctata</i>	Spotted Bee Balm							
<i>Oenothera biennis</i>	Common Evening Primrose	B/P	24 - 60	Yellow	Summer	Sun-Dry	1.5	864,000
<i>Oenothera missouriensis</i>	Dwarf Evening Primrose	P	8 - 12	Yellow	Summer	P/Sun-Dry	12 - 14	92,000
<i>Parthenium integrifolium</i>	Wild Quinine							
<i>Pedicularis canadensis</i>	Wood Betony							
<i>Penstemon angustifolius</i>	Narrow-Leaved Beardtongue	P	9 - 12	Pink-Violet	Spring/Summer	Sun-Dry/Moist	8	270,000
<i>Penstemon digitalis</i>	Foxglove Beardtongue							
<i>Penstemon grandiflorus</i>	Large-flowered Beardtongue							
<i>Penstemon pallidus</i>	Pale Beardtongue							
<i>Petalostemon candidum</i>	White Prairie Flower							



<i>Petalostemon purpureum</i>	Purple Prairie Clover	P	12 - 36	Purple	Summer/Fall	Sun-Dry	6 - 8	293,000
<i>Phlox pilosa</i>	Prairie Phlox							
<i>Physostegia virginiana</i>	Obedient Plant							
<i>Potentilla arguta</i>	Prairie Cinquefoil							
<i>Psoralea tenuiflora</i>	Scuf Pea							
<i>Pycnanthemum virginianum</i>	Mountain Mint							
<i>Ratbida columnifera</i>	Long-headed Coneflower							
<i>Ratbida columnifera</i>	Prairie Coneflower	B/P	12 - 36	Red/Yellow	Summer	P/Sun-Dry	1 - 2	832,000
<i>Ratbida pinnata</i>	Yellow Coneflower							
<i>Ratbida pinnata</i>	Grey-Headed Coneflower	P	36 - 48	Yellow	Summer	P/Sun-Dry/Moist	2 - 4	445,000
<i>Rosa arkansana</i>	Prairie Wild Rose							
<i>Rudbeckia amplexicaulis</i>	Clasping Coneflower	A	18 - 30	Yellow-Red	Summer/Fall	P/Sun-Dry/Moist	1.5 - 3	796,000
<i>Rudbeckia hirta</i>	Black-eyed Susan	A/B/P	12 - 36	Yellow	Summer/Fall	P/Sun-Dry/Moist	1 - 2	1,697,000
<i>Rudbeckia lacinata</i>	Wild Gloden Glow							
<i>Rudbeckia subtomentosa</i>	Sweet Black-eyed Susan							
<i>Rudbeckia triloba</i>	Brown-eyed Susan							
<i>Ruellia humilis</i>	Wild Petuna							
<i>Silphium integrifolium</i>	Rosin Weed							
<i>Silphium laciniatum</i>	Compass Plant							
<i>Silphium perfoliatum</i>	Cup Plant							
<i>Silphium terebinthinaceum</i>	Prairie dock							
<i>Solidago graminifolia</i>	Grass-leaved Goldenrod							
<i>Solidago nemoralis</i>	Dwarf Goldenrod							
<i>Solidago riddellii</i>	Riddell's Goldenrod							
<i>Solidago rigida</i>	Rigid Goldenrod	P	36 - 60	Gold	Summer/Fall	Sun-Dry/Moist	2 - 3	772,000
<i>Solidago speciosa</i>	Showy Goldenrod							
<i>Sphaeralcea coccinea</i>	Scarlet Globemallow	P	6 - 14	Orange	Spring/Summer	Sun-Dry	2 - 4	500,000
<i>Thalictrum dasycarpum</i>	Purple Meadow Rue							
<i>Tradescantia bractea</i>	Prairie Siderwort							
<i>Tradescantia ohiensis</i>	Ohio Spiderwort							
<i>Verbena hasta</i>	Blue Vervain							
<i>Verbena stricta</i>	Hoary Vervain	P	12-36	Purple	Late Summer	Sun-Dry/Moist	1-10%	475,000
<i>Vermonia Fasciculata</i>	Ironweed							
<i>Veronicastrum virginicum</i>	Culver's Root	P						
<i>Viola pedatifida</i>	Prairie Violet							
<i>Zizia aurea</i>	Golden Alexanders							





Wildflower Characteristics
 **UNITED SEEDS INC**
WWW.UNITEDSEEDS.COM



TYPE:

A = Annual

B = Biennial

P = Perennial

TP = Tender Perennial (grown
as an annual in cold climates).

Cultural Requirements:

SUN = Full Sun

P/SUN = Full or Partial Sun

P/SHADE = Partial Shade or
Sun

SUN/SHADE = Sun or Shade

DRY = 10-30 inches of rainfall
per year or sandy, well-drained
soil

MOIST = 30 inches of rainfall
per year or regular irrigation



Wildflower Characteristics



WWW.UNITEDSEEDS.COM





Wildflower Characteristics



UNITED SEEDS INC

WWW.UNITEDSEEDS.COM



ANTELOPE

BRAND

Finally Rooted for Over 125 Years!



Wildflower Characteristics



WWW.UNITEDSEEDS.COM

